


GAOKE Smart Podium



Parametric

Display	Size	21.5 inches
	Backlight Type	LED
	Display Area	476 (H) * 267 (V) mm
	Resolution	1920 * 1080
	Brightness	400 cd/m ²
	Contrast ratio	1200: 1
	Response time	8ms
	Viewing Angle	≥178°
	Refresh rate	60Hz
Touch	Touch panel	3mm anti-glare tempered glass
	Touch technology	Nano silver
	Number of touch points	10 points
	Touch accuracy	±1.5mm
	Response time	≤10ms
Android	Android Version	Android 9.0
	CPU	Hi3751 V351, Quad-Core Cortex-A53, 1GHz
	Memory RAM	1G
	Memory ROM	8G
Interface	External leakage interface	USB *4; 220V socket *1
Network	WiFi	2.4G WiFi
	Wired	RJ45
Buttons	Tap-to-press identification buttons	7 keys; (lock screen, switch on/off, volume +, volume -, HOME button, one key eye protection, custom)
Power	supply Operating voltage	100-240VAC 50/60Hz
	Standby power consumption	Less than 0.5w
	Maximum Power	30w
Dimensions/Weight	Overall Dimensions (LWH)	1220*620*1005mm (without Ground Bolt) (Ground Bolt 15-25mm)
	Weight	88.6Kg
Standard Cable	USB cable	10M*1
	232 serial cable	10M*1
	HDMI cable	10M*1
Environmental parameters	Storage temperature	—20℃ ~ 60℃
	Storage humidity	10% ~ 80%
	Operating temperature	0℃ ~ 50℃
	Operating humidity	10% ~ 85%

Sizes



statement denying or limiting responsibility

- 1.The actual size/weight of this product may vary due to many aspects such as configuration and manufacturing processes. This instruction manual is for illustrative purposes only, please refer to the actual situation.
2. The pictures of the product attached to this manual are for illustrative display only, the actual results (including but not limited to to appearance, colour, size) may be slightly different, please refer to the actual product.
- 3.The packaging material of this product should be designed strictly in accordance with the storage conditions of this product.4.Abnormalities caused by extreme weather and long storage time cannot be guaranteed to be completely avoided. Please advise.
5. Please store in strict accordance with the required storage conditions. Improper storage may cause abnormalities.
6. The above modifications and updates are subject to change without prior notice.



Hangzhou Gaoke Industry & Trade Co.

Address: Building A6, No.2-150 Yunlian Road, Yuhang Street, Yuhang District, Rookie Zhigu Industrial Park Phase I,
Hangzhou, China

Tel: 18058768767

Website: www.hzgaokegroup.com