

E3

Interactive Flat Panel Android 13.0



Resolution



Bluetooth



Eye Protection



Type-C



40 points touch



Zero Bonding
Technology



Split Screen
Writing




Brightness
Sensor



Thin and thick
pens writing


Interactive Flat Panel Specification

Meet, in a new conferece



Simply Conference Solution


Connection




User-friendly whiteboard

Smooth writing which makes finger and pen with different experience.


Various whiteboard tools makes education and conference more interesting.



Mind map



Ruler



Table



Sticky-Notes



Mode	GK-880T/65S-E3	GK-880T/75S-E3	GK-880T/86S-E3
Resolution (Pixels)	3840x2160	3840x2160	3840x2160
Brightness	350cd/m2(typ.)	350cd/m2(typ.)	350cd/m2(typ.)
Contrast Ratio	4000:1	4000:1	4000:1
Response Time	6ms (typ.)	6ms (typ.)	6ms (typ.)
Life Time	50,000 Hrs (min.)	50,000 Hrs (min.)	50,000 Hrs (min.)
Tempered Glass	Mohs Level-7, Anti-glare Technology		
OS	Android 13.0		
RAM+ROM	Standard: 4GB DDR4+32GB Optional: 8GB DDR4 + 128GB		
Infrared Touch	40 Points		
Speaker	Audio Output Power 10W*2(Standard)/20W*2(Optional) Subwoofer(Optional) 20W*1		
Bluetooth	2.1+EDR/4.2/5.0		
Front Interface	PUBLIC USB 3.0 x3、TOUCH USB x1、HDMI IN x1、TYPE-C (Full Function) x1		
Rear Interface	HDMI OUT (Optional) x1、RJ45 IN x1、RJ45 OUT x1、PC AUDIO IN x1、VGA IN (Optional)x1、DP IN (Optional)x1、LINE OUT (EARPHONE OUT)x1 OPTICAL OUT x2、RS232 x1、USB2.0 x1、USB3.0 x2、HDMI IN 1(EARC) x1、HDMI IN 2(UART) x1、TYPE-C (Optional) x1、TOUCH USB x1		
Package Size	1614x1007x230mm	1836x1132x230mm	2083x1271x230mm
Gross Weight	53±1KG	66±1KG	83±1KG