



Interactive Flat Panel Android 13.0

A9 PRO-I



Android 13.0 OS



TYPE-C



Eye-Protection



Multi-points
writing



OTA Update




Smart Optical
Character
Recognition




Auto-backing +
High brightness



Multi windows



Simply Conference Solution




4K UHD Display

All Channels with 4K Display

Screen Mirror


Get rid of the shackles of the data cable, fast transmission and interact on the same screen through mobile phones, tablets, and computers



Multi windows

Multiple Windows can be displayed on the same screen

Connection



User-friendly whiteboard


Smooth writing which makes finger and pen with different experience
Sensitive response speed that recognizes the thickness of pen to achieve two different colors automatically



Smart Optical Character Recognition



Dual different colors writing




Browser inserted into whiteboard



Support writing on the inserted pictures



Support writing on the PDF file



OTA Firmware Upgrade



Size	GK-880T/65S-A9 PRO-I	GK-880T/75S-A9 PRO-I	GK-880T/86S-A9 PRO-I
Backlight Type	D-LED	D-LED	D-LED
Resolution(pixels)	3840x2160	3840x2160	3840x2160
Brightness	400cd/m ² (min.),450cd/m2(typ.)	400cd/m ² (min.),450cd/m2(typ.)	400cd/m ² (min.),450cd/m2(typ.)
Aspect Ratio	16:9	16:9	16:9
Response Time	8ms (typ.)	8ms (typ.)	8ms (typ.)
Pixel Pitch (mm)	0.372(H)x0.372(V)	0.4296(H)x0.4296(V)	0.4935(H)x0.4935(V)
Life Time	50,000 Hrs(min.)	50,000 Hrs(min.)	50,000 Hrs(min.)
Chipset	Amlogic T982		
RAM	Standard: 4GB DDR4 Optional: 8GB DDR4		
ROM	Standard: 32GB Optional: 128GB		
OS	Android 13.0		
Product Size (W x D x H)	1484.0 x87.4 x911.6mm	1705.00 x87.4 x1036.00mm	1950.4 x87.4 x1117.4mm
Package Size (W x D x H)	1640×185×1010mm	1860×185×1140mm	2095x185x1275mm
Net Weight/Gross Weight	40±1KG/52±1KG	53±1KG/72±1KG	68±1KG/82±1KG